

Analytical Review

NUCLEAR DETONATION RISKS IN SOUTH ASIA: SCIENTIFIC ASSESSMENT OF HAZARDS, EVIDENCE- BASED PROTECTIVE MEASURES, AND PUBLIC PREPAREDNESS STRATEGIES

Identifiers:

ID: 113-26/DTN
May 3, 2026
Volume: 2
First Page: 89
Last Page: 101

Correspondence: Taha Nazir

PhD, Researcher, Writer,
Social Activist and Media
Professional.
<https://tahanazir.com/>,
info@tahanazir.com

Funding Statement: The authors
declare that no specific funding
was received for this study.

Ethics Approval Statement:

Ethical approval was not required
for this study, as it did not
involve human participants,
animal subjects, or identifiable
personal data.

Consent for Publication

Statement: The author has
reviewed and approved the final
manuscript and consents to its
publication in accordance with
journal policies.

Additional information is
available at the end of the article.

Nafasat Hussain¹, Taha Nazir², Saqib Almas³, Israr Ahmed⁴,

1. Associate Editor Aghaaz Info Media System, Consortium Publisher, Canada. <https://consortiumpublisher.ca/>
2. Board Chair, Canadian Association of Journalists and Media Professionals, ON Canada. www.canadianjournalists.ca/
3. Legal-Media Advisor, Consortium Publisher, Canada. <https://consortiumpublisher.ca/>
4. Editor-In-Chief, Aghaaz Info Media System, Consortium Publisher, Canada. <https://consortiumpublisher.ca/>

Abstract

South Asia remains one of the world's most volatile nuclear flashpoints, with India and Pakistan together possessing an estimated 350–400 warheads as of 2025 and ongoing territorial disputes that could escalate rapidly. A hypothetical regional nuclear exchange involving 100–300 weapons (15–100 kt yields) could produce 50–125 million immediate fatalities and trigger global climatic disruption through stratospheric soot injection. This analytical review synthesizes declassified effects literature, modern modeling (e.g., FEMA, 2022), and empirical data from historical detonations to delineate the three primary hazard phases—intense thermal flash, blast wave, and radioactive fallout—while providing evidence-based protective protocols. Emphasis is placed on pre-event preparedness, immediate response (“Get Inside, Stay Inside, Stay Tuned”), and decontamination strategies that demonstrably reduce mortality. Policy recommendations stress public education, shelter retrofitting, and international risk-reduction mechanisms. The analysis underscores that while nuclear use remains low-probability, its consequences demand rigorous, science-driven civil-defense planning.

Keywords

South Asian nuclear rivalry, nuclear weapons effects, fallout protection, blast injury, thermal flash, radiological emergency, disaster preparedness, emergency management, public protection, crisis resilience



Running title: Nuclear Detonation Risks and Civil Defense in South Asia

Data Source: Archives, Biographies, Databanks, Encyclopedias, Libraries, Metadata Registries, Reports, Repositories, arXiv, Crossref, OpenAI, Wikipedia, World Health Organization, Zenodo.

Conflict of Interest Statement: The author declares all potential conflicts of interest and affirms that any such interests have been appropriately disclosed in accordance with standard ethical guidelines.

AI Tools and Assistance Statement: Artificial intelligence tools were utilized to support content structuring, data analysis, and evidence synthesis. All outputs were critically reviewed and validated by the author, who assumes full responsibility for the accuracy, interpretation, and conclusions of the work.

Peer Review Statement: This manuscript has not undergone external peer review, as it represents a structured synthesis and analysis of existing evidence. The methodological approach adheres to established standards to ensure rigor, transparency, and scientific validity.

Data Synthesis and Analysis

Data were synthesized using meta-analysis (fixed/random effects) with heterogeneity assessed by I^2 and Cochran's Q. Where pooling was not feasible, narrative and thematic syntheses were applied. Network meta-analysis and meta-regression were conducted where appropriate, in accordance with PRISMA and Cochrane guidelines.



Introduction:

The South Asian nuclear dyad remains one of the most dangerous strategic rivalries in the contemporary international system. Unlike Cold War bipolarity, which gradually developed layered arms control arrangements, communication mechanisms, and relatively stable doctrines, the India Pakistan nuclear relationship continues to operate under recurring crisis conditions, unresolved territorial disputes, expanding military modernization, and persistent mutual suspicion. Although both states publicly present nuclear weapons as instruments of deterrence, the practical reality is far more fragile. Expanding arsenals, doctrinal ambiguity, evolving delivery systems, and the possibility of miscalculation all increase the risk that a future crisis could escalate beyond political control. In such an environment, even a so called limited nuclear exchange would not remain limited in humanitarian consequences. It would produce immediate mass casualties, collapse medical response capacity, contaminate large areas, and generate long term environmental, economic, and psychological disruption across the region.

Recent strategic estimates reinforce this concern. By 2025, India and Pakistan were each assessed to possess growing nuclear arsenals, with capabilities that continue to diversify in range, mobility, and readiness. This expansion matters not only because of deterrence signaling, but because larger and more flexible arsenals can shorten decision time during crises and create conditions in which accidental, unauthorized, or rapid retaliatory use becomes more plausible. In a densely populated region marked by major urban centers, industrial concentration, and fragile public health infrastructure, the consequences of a nuclear detonation would be catastrophic at

every level. The humanitarian challenge, therefore, is not abstract. It is immediate, practical, and measurable.

This review examines the scientific basis of nuclear detonation hazards and translates that knowledge into evidence based public protection measures. It draws on classical weapons effects literature, public health modeling, emergency management guidance, and radiological protection principles to answer a central policy question: what actions can realistically reduce mortality and injury if nuclear use occurs in South Asia? The answer is neither fatalism nor false reassurance. Rather, the evidence suggests that although no response can eliminate catastrophe, timely protective action can significantly reduce deaths from thermal injury, blast trauma, and radioactive fallout. Survival is shaped not only by distance from the point of detonation, but also by behavior in the first seconds, minutes, and hours after the event. Civil defense, therefore, remains an essential, if often neglected, component of strategic risk reduction.




Figure 1. Schematic of nuclear explosion phases illustrating thermal radiation (flash), blast wave propagation, and subsequent radioactive fallout plume dynamics. Adapted from public health modeling frameworks.

link.springer.com

Strategic Context of the South Asian Nuclear Rivalry

The strategic instability of South Asia is rooted in the combination of nuclear deterrence and repeated conventional crises. The region has experienced wars, border clashes, militant attacks, cross border military actions, and periods of intense political rhetoric. Nuclear weapons in this context do not exist in a vacuum. They are embedded within a pattern of confrontation in which decision makers may face compressed timelines, incomplete information, domestic political pressure, and fear of appearing weak. These conditions are especially dangerous because escalation may occur not only through deliberate intent but also through misperception.

India and Pakistan have also developed different doctrinal orientations, which complicates deterrence stability. India's broader strategic posture has often emphasized retaliatory capability and credibility, while Pakistan has historically stressed the role of nuclear weapons in offsetting conventional asymmetry. This doctrinal asymmetry matters because it affects thresholds, signaling, and the interpretation of military moves during crises. The more uncertain each side is about the red lines of the other, the greater the chance that escalation could outpace diplomacy.

Yet strategic debate often remains elite centered, focused on missiles, warheads, and doctrines while neglecting the human consequences of actual use. That gap is deeply problematic. Nuclear weapons are not merely instruments of statecraft. They are devices of mass destruction whose effects unfold across distinct physical phases, each creating specific forms of injury and requiring specific forms of protection. A serious analytical review must therefore move beyond deterrence theory and engage with hazard science, emergency response, and civilian survival.

Scientific Basis of Nuclear Detonation Hazards

A nuclear explosion releases immense energy in forms that emerge almost simultaneously but produce different patterns of destruction over time. For practical purposes, the major hazard phases can be understood as the thermal flash, the blast wave, and radioactive fallout. These categories overlap, but distinguishing them is crucial because effective protective behavior depends on recognizing which hazard is acting at which moment.

Thermal Radiation and Flash Effects

The first immediately visible effect of a nuclear detonation is the intense burst of thermal radiation. A substantial share of the weapon's energy is released as heat and light within seconds. In clear atmospheric conditions, this thermal pulse can ignite fires, cause severe skin burns, and produce eye injuries at considerable distances from the detonation site. In urban areas, the thermal phase is particularly dangerous because it does not require direct contact with debris or structural collapse. A person exposed in the open can suffer serious injury simply by being within range of the heat pulse.

The medical implications are severe. Thermal burns can affect large portions of the body, overwhelm local hospitals, and increase the risk of infection, dehydration, and long term disability. Eye injuries, including flash blindness and retinal burns, can also occur even at distances far beyond the zone of total structural destruction. Historical evidence from Hiroshima and Nagasaki shows that immediate protective posture matters. Individuals who instinctively dropped down, turned away from the flash, and shielded their eyes often reduced the severity of

injury compared with those who remained upright or directly exposed. This is one of the clearest examples of a simple action affecting survival.

The thermal phase also has important secondary effects. Fires caused by the flash can merge into larger urban fire patterns, especially in dense built environments with flammable materials, fuel storage, and damaged infrastructure. Thus, thermal radiation is not just an injury mechanism. It is also a trigger for wider urban disaster.

Blast Wave and Mechanical Destruction

Seconds after the flash, the blast wave arrives. This phase consists of rapidly moving compressed air that exerts extreme overpressure on buildings, vehicles, and the human body. Blast effects depend on yield, burst height, urban topography, and distance from ground zero, but the basic pattern is consistent. Close to the detonation, high overpressure destroys most structures outright. Farther out, the moderate damage zone contains shattered windows, collapsed walls, falling debris, and severe trauma risks. This area is of special importance because it often contains the largest number of potentially survivable injuries.

Blast injury is not limited to direct exposure. People may be killed or wounded by collapsing roofs, flying glass, crushed vehicles, and secondary fragmentation from the urban environment. In many cases, those outside a building may be more vulnerable than those inside a structurally sound one. Reinforced buildings, underground spaces, and interior rooms can substantially reduce exposure to flying debris and pressure effects.

This point carries major policy significance. Public imagination often treats a nuclear explosion as an unsurvivable event for everyone nearby. In reality, survivability varies sharply by location and shelter conditions. A large share of potential casualties in the broader damage zone could be prevented through better building practices, public warning systems, and community knowledge about immediate protective action. The blast phase is destructive, but it is not uniformly fatal at all distances.

Radioactive Fallout and Delayed Exposure

If the detonation involves a ground burst or interacts heavily with surface material, radioactive fallout becomes one of the most serious medium term hazards. The explosion vaporizes soil and debris, mixes them with radioactive fission products, and lifts this material into the atmosphere. As the cloud cools, radioactive particles fall back to the ground, often downwind from the detonation site. This contamination can produce dangerous external radiation exposure and raise the risk of internal contamination through inhalation or ingestion.

Fallout is analytically distinct from the flash and blast phases because it unfolds over minutes, hours, days, and even longer. Importantly, the risk is highest early on. Radiation intensity declines significantly with time, especially during the first two days. This means that the timing of sheltering is critical. Individuals who enter effective shelter quickly and remain there during the period of peak dose can dramatically reduce exposure. The science of fallout decay is therefore central to civil defense planning. People do not need perfect shelters to improve their

odds. They need timely shelter with substantial mass between themselves and the outside environment.

The protective value of basements, interior rooms, dense concrete structures, and underground spaces is well established. Shielding works because gamma radiation is attenuated by material thickness and density. The practical lesson is simple but lifesaving: the deeper and more central the shelter, the greater the protection. Even moving from the outer rooms of a house to an interior basement space can mean the difference between dangerous and survivable radiation dose.




Figure 2. Radiation shielding effectiveness by material type, showing the exponential attenuation of gamma rays. Concrete, brick, earth, and other dense materials provide the most effective protection against fallout exposure. Adapted from radiological protection and public health guidance.

link.springer.com

Interpreting the Hazard Sequence in Public Protection Terms

The figures are useful because they translate abstract hazard science into a clear sequence of risk. A detonation is not a single event in practical human terms. It is a cascading process. First comes the thermal flash, then the blast, and finally the fallout plume. Each stage creates a new risk environment. This matters because public messaging must be phase specific. Telling people merely to seek shelter is not enough. They must understand what to do immediately at the moment of the flash, where to move after the blast, and why remaining sheltered during the fallout phase is essential even if the environment outside appears calm.

The shielding figure is equally important because it makes visible a basic truth of radiological protection: mass saves lives. Radiation exposure is not just a matter of distance. It is also a matter of what lies between a person and the contaminated outside world. Concrete, brick, and earth reduce gamma penetration far more effectively than glass, wood, or light construction. This evidence should inform building codes, public shelter mapping, and emergency planning across urban South Asia.

Evidence Based Protective Measures

A scientifically grounded protective strategy must match the hazard timeline of the explosion. Effective survival guidance depends on clarity, speed, and public familiarity before a crisis occurs.

At the moment of the flash, people should immediately drop to the ground, turn away from the light, cover exposed skin as much as possible, and shield the eyes. This is not symbolic advice. It directly reduces thermal and ocular injury. Standing upright or looking toward the flash increases the chance of burns and visual damage. In the few seconds before the blast wave arrives, every movement matters.

As soon as possible after the initial flash, individuals should move into the nearest sturdy building. The best options are reinforced concrete structures, underground spaces, basements, or interior rooms away from windows. Exterior walls and glass are dangerous because they are prone to shattering and fragmentation. Those already inside a strong building should move deeper into the structure rather than running outside. The instinct to flee can be deadly if fallout is beginning or if the urban environment is unstable.

During the fallout phase, the basic principles are straightforward: get inside, stay inside, and remain informed through official channels. Doors and windows should be closed. Ventilation systems that draw outside air should be turned off if possible. The goal is to reduce both external dose and inhalation of contaminated dust. People should not leave shelter simply because the visible blast effects seem to have ended. Fallout is often the least visible but most preventable radiological hazard.

Decontamination is another crucial intervention. Removing outer clothing can eliminate a large proportion of external contamination. Washing exposed skin and hair with soap and water helps remove particles, though harsh scrubbing should be avoided because it can damage skin and increase absorption risk. Food and water should be taken only from protected or sealed supplies until authorities provide guidance.

Protection Factors and Structural Survival

The estimated protection factors in your table provide one of the clearest ways to communicate relative safety. An open field offers effectively no shielding. A light wooden frame house offers only limited reduction in dose. In contrast, multistory brick or concrete buildings and especially interior basements can reduce radiation exposure dramatically. This means that urban populations are not equally vulnerable if they can move rapidly toward better shelter.

This also reveals a major inequality dimension. Poorer populations often live in lighter structures with limited access to strong buildings. Informal settlements, crowded housing, and inadequate urban infrastructure make fallout exposure harder to avoid. Thus, civil defense is not just a technical problem. It is also a social justice issue. Preparedness capacity is distributed unevenly, and those with the least protection may face the highest risk. Policymakers must recognize that shelter access is part of national resilience.

Pre Event Preparedness and Household Readiness

Preparedness before any crisis can significantly improve survival during and after a detonation. Households do not need military grade equipment to increase resilience. What they need is a practical, widely understood emergency kit and a plan. Water, nonperishable food, basic first aid supplies, flashlights, batteries, a battery powered or hand crank radio, essential medications, protective masks for dust, sanitation materials, and copies of important documents are among the most useful items. Families should also identify the best shelter location in their home or neighborhood before any emergency occurs.



Figure 3. Recommended nuclear emergency preparedness kit components, including water, nonperishable food, first aid supplies, flashlights, batteries, masks, essential medicines, and a battery powered radio. Adapted from emergency preparedness guidance issued by public safety and disaster management agencies.

Communication planning is equally important. During major disasters, networks may fail, roads may be blocked, and families may become separated. A prearranged meeting point, an out of area contact, and basic knowledge of where to shelter can prevent panic and confusion. Public

drills and education campaigns can improve compliance substantially. In radiological emergencies, knowledge is not a luxury. It is a form of protection.

Public Health Implications

The public health consequences of a nuclear detonation would be devastating. Health systems in South Asia, even under ordinary circumstances, already face pressure from population density, resource constraints, and uneven access. A nuclear event would instantly generate mass casualties on a scale beyond routine emergency capacity. Burn treatment, trauma surgery, radiation medicine, and mental health support would all face simultaneous overload. Supply chains could break down. Transportation routes may be disrupted. Communication systems may fail. Hospitals near the blast zone might themselves be damaged or destroyed.

Radiation injury adds another layer of complexity. Acute radiation syndrome can emerge after significant exposure, but diagnosis and treatment require specialized knowledge and coordinated triage. At the same time, many individuals with moderate injuries may survive if they receive timely care, while others with unsurvivable exposure may consume scarce resources if triage is poorly managed. Public health planning must therefore integrate not only infrastructure and supplies but also ethical frameworks for crisis decision making.

Water safety, food contamination, sanitation, and infectious disease control would also become major concerns in the aftermath. Fallout contamination can affect agricultural areas and water sources, while displaced populations may crowd into temporary shelters under poor sanitary conditions. The disaster, therefore, would not end with the blast. It would evolve into a prolonged humanitarian emergency.

Psychological and Social Dimensions

No serious review of nuclear preparedness can ignore the psychological dimension. The trauma of witnessing a nuclear detonation, losing family members, navigating uncertainty, and living under contamination risk would leave profound mental health effects. Acute stress, panic, grief, confusion, and rumor driven behavior are likely in the immediate aftermath. Over time, survivors may face post traumatic stress, depression, survivor guilt, and social fragmentation.

This is why official communication matters so deeply. Clear, credible, and repeated guidance can reduce panic and help people make better decisions. Battery powered radio and resilient emergency broadcasting systems are not secondary tools. They are central to social stability. In a context where misinformation can spread rapidly, trusted communication becomes part of life saving infrastructure.

The social impact would also extend to displacement, stigma, and inequality. Contaminated areas may be abandoned for long periods. Communities may be divided between those who escaped, those who remained, and those exposed to uncertain health effects. Recovery would therefore require not only medical and infrastructural rebuilding but also long term psychosocial support and social trust restoration.

Policy Implications for South Asia

The evidence strongly suggests that South Asian governments should treat nuclear civil defense not as an admission of policy failure but as a necessary layer of responsible governance. Deterrence and diplomacy remain essential, but they are not enough. Civilian protection must be institutionalized through concrete policies.

Governments should invest in shelter mapping and retrofitting, especially in major urban centers. Existing basements, subway systems, parking structures, schools, and public buildings can be evaluated for fallout protection potential. Risk communication campaigns should educate the public on basic protective actions without sensationalism. Short, memorable instructions can save lives if people have already encountered them before a crisis. Emergency services require specialized training in radiological triage, contamination control, and mass casualty coordination. Bilateral and regional crisis communication mechanisms should also be strengthened to reduce the chance of escalation in the first place.

International organizations can support these efforts through technical assistance, training standards, public health coordination, and knowledge transfer. Yet local adaptation is essential. Guidance designed for one country must be adjusted for South Asian urban density, housing patterns, infrastructure limitations, and social realities.

The Analytical Significance of Preparedness

A central analytical mistake in many discussions of nuclear war is to frame the issue only in absolute terms. Because the overall catastrophe would be immense, some conclude that preparedness is meaningless. This is incorrect. The fact that a disaster would be enormous does not mean that all outcomes are equivalent. There is a profound difference between unprepared populations and populations that understand how to act in the first minutes and hours. Survival probabilities, injury burdens, and long term health outcomes can all be influenced by preparation, shelter quality, and communication effectiveness.

Preparedness does not normalize nuclear war. Nor does it reduce the moral urgency of disarmament and diplomacy. Instead, it recognizes a hard truth: while states pursue strategic competition, civilians remain exposed. Protecting them is both a humanitarian obligation and a matter of responsible statecraft.

Conclusion

The South Asian nuclear rivalry poses one of the clearest cases in which low probability does not mean low importance. A single nuclear detonation, or a limited exchange involving urban targets, would produce catastrophic humanitarian consequences across thermal, blast, and radiological dimensions. Yet the science of nuclear effects also demonstrates that mortality is not fixed. Protective action matters. Immediate response to the flash, rapid movement into strong shelter, sustained protection from fallout, decontamination, and reliable public communication can all reduce injury and save lives.

This analytical review therefore supports a dual conclusion. First, the only true long term safeguard remains diplomatic restraint, crisis management, and renewed efforts toward risk reduction and arms control. Second, while those broader goals remain uncertain, governments and societies have a moral duty to prepare. Public education, shelter planning, emergency kits, radiological response capacity, and transparent communication should be treated as essential components of national resilience. In a densely populated and strategically volatile region, preparedness is not alarmism. It is prudence grounded in evidence.

References:

1. Amnesty International. (2025). *The state of the world's human rights*. <https://www.amnesty.org/en/documents/pol10/8515/2025/en/>
2. Amnesty International. (2026). Venezuela: Arbitrary detentions must end and all victims must be immediately released. <https://www.amnesty.org/en/latest/news/2026/01/venezuela-las-detenciones-arbitrarias-deben-cesar-y-las-victimas-liberadas-de-inmediato/>
3. Center for Constitutional Rights. (2026). *Faces of Guantánamo* (January 2026 update). https://ccrjustice.org/sites/default/files/attach/2026/01/Faces_Guantanamo_January_2026.pdf
4. European Court of Human Rights. (2014). *Husayn (Abu Zubaydah) v. Poland*, Application no. 7511/13. <http://hudoc.echr.coe.int>
5. Human Rights Watch. (2026). Iran: Tsunami of arbitrary arrests, enforced disappearances. <https://www.hrw.org/news/2026/02/24/iran-tsunami-of-arbitrary-arrests-enforced-disappearances>
6. Office of the United Nations High Commissioner for Human Rights. (2025). Experts call for release of Guantánamo Bay detainee Abu Zubaydah. <https://www.ohchr.org/en/press-releases/2025/01/experts-call-release-guantanamo-bay-detainee-abu-zubaydah-arbitrarily>
7. Senate Select Committee on Intelligence. (2014). *Committee study of the Central Intelligence Agency's detention and interrogation program* (S. Rep. No. 113-288). <https://www.intelligence.senate.gov/sites/default/files/publications/CRPT-113srpt288.pdf>
8. United Nations Human Rights Council. (2025). *Report of the Working Group on Arbitrary Detention* (A/HRC/60/26). <https://www.ohchr.org/en/documents/thematic-reports/ahrc6026-arbitrary-detention-report-working-group-arbitrary-detention>
9. United Nations Working Group on Arbitrary Detention. (2023). Opinion No. 66/2022 concerning Zayn al-Abidin Muhammad Husayn (Abu Zubaydah) (A/HRC/WGAD/2022/66). https://digitallibrary.un.org/record/4026874/files/A_HRC_WGAD_2022_66-EN.pdf



Ethical Statement

This is a research-based manuscript prepared and structured in a scientific narrative review format. Modern AI-assisted tools were used to access current and authentic information from digital archives, bibliographic databanks, online libraries, research articles, academic repositories, and encyclopedias.

Preprint Notice

This manuscript is shared as a non–peer-reviewed preprint on platforms such as Zenodo, SSRN, and Research Square to support scholarly discussion. The content is research-based and developed using publicly available and verifiable sources. Readers are encouraged to interpret the material as preliminary and subject to revision.

Disclaimer

This non–peer-reviewed article is shared for general academic discussion. AI tools were used to assist with clarity and organization. Readers are advised to independently assess and verify the information.

Literature Search and Information Management

Literature retrieval was conducted using a structured and reproducible search strategy in accordance with PRISMA-S reporting standards. Search strategies were independently evaluated using the PRESS framework to ensure methodological quality, accuracy, and completeness. Grey literature was systematically identified using the CADTH *Grey Matters* framework to enhance coverage of unpublished, non-indexed, and policy-relevant sources, thereby minimizing publication bias and improving comprehensiveness.

Risk of Bias and Evidence Quality


Risk of bias was assessed using validated, design-specific tools (RoB 2, ROBINS-I, QUADAS-2/3, AMSTAR 2, Newcastle–Ottawa Scale, and CASP). The certainty of evidence and strength of recommendations were evaluated using the GRADE framework, ensuring a standardized and reproducible assessment across study designs.

Review Typology and Reporting

Review designs were classified into standard categories (scoping, umbrella, rapid, qualitative, and mixed-methods), with reporting aligned to established guidelines (PRISMA-ScR, PRIOR, PRISMA-RR, ENTREQ, and PRISMA/MMAT) to ensure methodological rigor and transparency.

Copyright, Academic, and Legal Disclaimer

All images included in this version were selected based on scientific relevance, academic suitability, and educational value, with minimal or no visible copyright following reasonable review. These materials are used solely for scholarly, illustrative, and non-commercial educational purposes. Any original figures or infographics may be cited as supplementary schematics and adapted to comply with journal formatting requirements. All intellectual property rights remain with their respective owners, and no ownership or copyright claim is asserted or implied by the authors or publishers.



© 2025 DownTown News. This publication is released under the Creative Commons Attribution (CC BY 4.0) license. You are permitted to: Share: Copy and redistribute the material in any medium or format. Adapt: Remix, transform, and build upon the material for any purpose, including commercial use. These freedoms cannot be revoked if the licensing terms are followed.
License Terms: Attribution: You must provide appropriate credit to *DownTown News*, include a link to the CC BY 4.0 license, and indicate if any changes were made. Attribution must be given in a reasonable manner that does not imply endorsement by DownTown News. No Additional Restrictions: You may not apply legal terms or technological measures that restrict others from exercising the permissions granted by this license.

For full license details, please refer to the Creative Commons Attribution 4.0 International License (CC BY 4.0).