



### Analytical Review Article

## NUCLEAR DETONATION RISKS IN SOUTH ASIA: SCIENTIFIC ASSESSMENT OF HAZARDS, EVIDENCE- BASED PROTECTIVE MEASURES, AND PUBLIC PREPAREDNESS STRATEGIES

#### History:

Collection: 2026

Received: April 25, 2026

Status: Published

#### Identifiers:

ID: 19-26/DTN

Year: 2026

Volume: 15

First Page: 273

Last Page: 285

**Correspondence:** Zaighum Javaid, 935 Ferguson Dr, Milton ON L9T 6V7, Canada. +1 (647) 285-5959, [zjkayani@gmail.com](mailto:zjkayani@gmail.com)

**Funding Statement:** The authors declare that no specific funding was received for this study.

**Ethics Approval Statement:** Ethical approval was not required for this study, as it did not involve human participants, animal subjects, or identifiable personal data.

#### Consent for Publication

**Statement:** The author has reviewed and approved the final manuscript and consents to its publication in accordance with journal policies.

Additional information is available at the end of the article.

Taha Nazir<sup>1</sup>, Zaighum Javaid<sup>2,3</sup>

1. Director Advanced Multiple Inc., Canada. Thomson Reuters - ID N-5730-2015 | [orcid.org/0000-0002-5308-6798](https://orcid.org/0000-0002-5308-6798) | <https://tahanazir.com>
2. Chief Executive, Media South Asia Canada Inc., Canada.
3. Host, community radio programs WTOR 770 AM Toronto ON and CFRF FM 90.5 Saskatoon SK Canada.

### Abstract

South Asia remains one of the world's most volatile nuclear flashpoints, with India and Pakistan together possessing an estimated 350–400 warheads as of 2025 and ongoing territorial disputes that could escalate rapidly. A hypothetical regional nuclear exchange involving 100–300 weapons (15–100 kt yields) could produce 50–125 million immediate fatalities and trigger global climatic disruption through stratospheric soot injection. This analytical review synthesizes declassified effects literature, modern modeling (e.g., FEMA, 2022), and empirical data from historical detonations to delineate the three primary hazard phases—intense thermal flash, blast wave, and radioactive fallout

**Running title:** nuclear detonation, South Asia nuclear risks, thermal flash, blast wave

**Keywords:** radiation shielding, emergency preparedness, public health protection

**Data Source:** Archives, Biographies, Databanks, Encyclopedias, Libraries, Metadata Registries, Reports, Repositories, arXiv, Crossref, OpenAI, Wikipedia, World Health Organization, Zenodo.

**Conflict of Interest Statement:** The author declares all potential conflicts of interest and affirms that any such interests have been appropriately disclosed in accordance with standard ethical guidelines.

**AI Tools and Assistance Statement:** Artificial intelligence tools were utilized to support content structuring, data analysis, and evidence synthesis. All outputs were critically reviewed and validated by the author, who assumes full responsibility for the accuracy, interpretation, and conclusions of the work.

## Introduction

South Asia represents one of the world's most volatile nuclear regions due to the coexistence of expanding nuclear arsenals, unresolved geopolitical disputes, and recurring military confrontations between India and Pakistan. Since both states formally demonstrated nuclear capabilities in 1998, the region has experienced repeated crises involving conventional military mobilizations, cross-border incidents, and strategic signaling that raised international concerns regarding escalation dynamics.

According to estimates published by the Stockholm International Peace Research Institute (SIPRI), India and Pakistan collectively possessed approximately 350–400 nuclear warheads by 2025, with ongoing modernization efforts involving missile systems, delivery platforms, and tactical nuclear capabilities. The increasing sophistication and diversification of nuclear doctrines heighten the risk of accidental miscalculation, rapid escalation, or unauthorized use.

Scientific evidence demonstrates that even a “limited” regional nuclear exchange could generate catastrophic humanitarian consequences. Modeling studies suggest that detonation of 100–300 nuclear weapons ranging between 15 and 100 kilotons could produce 50–125 million immediate fatalities, widespread destruction of urban infrastructure, severe disruption of healthcare systems, and long-term climatic effects caused by soot injection into the upper atmosphere. Such outcomes would not remain regionally confined but could affect global agriculture, food security, and environmental stability.

Despite these risks, public awareness regarding nuclear survival strategies remains limited in many densely populated South Asian cities. Civil-defense infrastructure, emergency preparedness planning, and public education initiatives often remain underdeveloped relative to the scale of potential threats. Consequently, there is a critical need for scientifically grounded guidance capable of improving survival outcomes during nuclear emergencies.

This review examines the scientific basis of nuclear detonation hazards and evaluates evidence-based protective measures relevant to South Asian contexts. The article integrates historical evidence, emergency management protocols, radiation science, and public health frameworks to provide practical preparedness recommendations for policymakers, emergency managers, healthcare professionals, and the general public.

## Methodology

This review utilized a qualitative analytical methodology integrating scientific literature, governmental emergency-management guidance, peer-reviewed public health research, and nuclear-effects modeling studies published between 1964 and 2025.

## Data Sources

The review incorporated material from:

- PubMed
- Scopus

- Google Scholar
- FEMA emergency guidance documents
- CDC radiation emergency resources
- SIPRI Yearbooks
- IAEA publications
- NCRP radiation guidance reports
- Historical nuclear-effects literature

### **Inclusion Criteria**

- Peer-reviewed studies on nuclear weapons effects and public health.
- Governmental emergency response planning documents.
- Scientific analyses of thermal radiation, blast physics, and fallout behavior.
- Publications related to radiation shielding and civil defense.
- Studies addressing South Asian nuclear risks and escalation scenarios.

### **Exclusion Criteria**

- Non-scientific political commentary.
- Unverified online survival claims.
- Duplicate or superseded modeling studies.

The review synthesized findings into thematic categories involving physical hazards, emergency response measures, radiation protection, psychological impacts, and policy implications.

### **Scientific Basis of Nuclear Detonation Hazards**

A nuclear detonation releases enormous quantities of energy within fractions of a second. The resulting hazards occur in temporally overlapping but scientifically distinct phases: thermal flash, blast wave, and radioactive fallout.

#### **Thermal Flash and Thermal Radiation**

Approximately 30–35% of a nuclear weapon’s energy is emitted as thermal radiation. This intense burst of heat and light occurs almost instantaneously after detonation and can ignite combustible materials, produce mass fires, and cause severe burns at considerable distances from ground zero.

For a 15-kiloton airburst comparable to the Hiroshima detonation, third-degree burns may occur within approximately 2–3 kilometers of the hypocenter, while temporary flash blindness may affect individuals up to 20 kilometers away under favorable atmospheric conditions.


Historical evidence from Hiroshima and Nagasaki demonstrates that immediate protective actions significantly reduce injury severity. Individuals who instinctively dropped to the ground,

shielded their eyes, or avoided direct exposure experienced markedly lower rates of retinal damage and thermal burns.

#### Evidence-Based Flash Protection Measures

- Immediately drop to the ground upon observing a bright flash.
- Cover exposed skin and shield eyes.
- Avoid looking directly at the fireball.
- Seek rapid shelter from subsequent blast effects.

Figure 1. Schematic Representation of Nuclear Detonation Hazard Phases



#### Blast Wave and Overpressure Effects

Following the thermal flash, an intense blast wave propagates outward at supersonic velocity. Blast overpressure causes structural collapse, flying debris injuries, shattered glass, and widespread infrastructure destruction.

Overpressure intensity is commonly measured in pounds per square inch (psi):

| Overpressure | Expected Effects                |
|--------------|---------------------------------|
| 1–2 psi      | Window breakage, light injuries |
| 5 psi        | Severe structural damage        |
| 10–20 psi    | Reinforced building collapse    |
| >20 psi      | Near-total destruction          |

Modern urban modeling indicates that most survivors are located within moderate-damage zones rather than immediate ground-zero areas. Consequently, rapid movement into sturdy shelters significantly improves survival probability.

Studies cited by FEMA demonstrate that reinforced concrete structures reduce blast-related fatality risk by approximately 50–80% compared with outdoor exposure.

#### Recommended Blast Protection Actions

- Move immediately into the nearest sturdy structure.
- Prefer underground or reinforced concrete shelters.
- Stay away from windows and exterior walls.
- Assume prone positioning to minimize injury from debris.

#### Radioactive Fallout and Radiation Exposure

Radioactive fallout represents one of the most prolonged and dangerous phases following a nuclear detonation, particularly after ground bursts. Soil, debris, and fission products are drawn into the fireball and subsequently deposited downwind as radioactive particles.

Fallout exposure occurs through:

- External gamma radiation.
- Inhalation of radioactive particles.
- Contaminated food and water.


Radiation intensity declines predictably over time according to exponential decay kinetics. Classical fallout studies indicate:

- More than 50% of total radiation dose may accumulate during the first hour.

- Radiation intensity decreases approximately tenfold within 7 hours.
- Radiation levels decline roughly 100-fold within 48 hours.

Early sheltering therefore dramatically reduces exposure risk.

Figure 2. Radiation Shielding Effectiveness of Common Materials



### Evidence-Based Protective Measures

Protective strategies must correspond precisely to the evolving hazard phases associated with nuclear detonation.

### **Flash Phase Response**

The thermal flash arrives before the blast wave. Immediate protective positioning can significantly reduce injuries.

#### **Recommended Actions**

- Drop to the ground instantly.
- Cover head and neck.
- Shield eyes from direct exposure.
- Avoid standing near windows.

### **Blast Phase Response**

The blast wave may arrive seconds after the flash depending on distance from the detonation.

#### **Recommended Actions**

- Move rapidly to sheltered areas.
- Stay indoors until shock waves pass.
- Avoid elevators and unstable structures.
- Protect airways from dust and debris.

### **Fallout Phase Response**

The most effective public-health strategy during fallout exposure is summarized by the principle:

“Get Inside, Stay Inside, Stay Tuned.”

#### **Key Fallout Protection Measures**

- Remain indoors for at least 24–48 hours if instructed.
- Move to interior rooms or basements.
- Shut doors, windows, and ventilation systems.
- Monitor official emergency broadcasts via battery-powered radio.

#### **Decontamination Procedures**

Removing outer clothing eliminates approximately 80–90% of external radioactive contamination. Additional measures include:

- Showering with soap and lukewarm water.
- Avoiding harsh scrubbing of skin.
- Sealing contaminated clothing in plastic bags.
- Avoiding consumption of exposed food or water.

Table 1. Estimated Fallout Protection Factors for Common Structures

| Structure Type            | Protection Factor | Estimated 24-h Dose Reduction (%) | Primary Source           |
|---------------------------|-------------------|-----------------------------------|--------------------------|
| Open field                | 1                 | 0                                 | Glasstone & Dolan (1977) |
| Wooden house              | 2–3               | 50–67                             | FEMA (2022)              |
| Brick/concrete building   | 10–20             | 90–95                             | NCRP (2019)              |
| Basement/interior shelter | 15–40             | 93–97.5                           | CDC (2021)               |

### Pre-Event Preparedness and Civil Defense

Preparedness substantially improves survival outcomes during radiological emergencies. Households should maintain emergency supplies sufficient for at least 72 hours.

### Recommended Emergency Kit Components

- Battery-powered radio.
- Spare batteries or power banks.
- Three-day water supply.
- Non-perishable food.
- First-aid supplies.
- Flashlights.
- N95 masks.
- Essential medications.
- Hygiene supplies.
- Emergency contact lists.

Family communication planning and prior identification of nearby shelters are essential components of preparedness.

Research conducted in radiological emergency drills indicates that public education campaigns significantly improve compliance with protective guidance and reduce panic-driven behavior.

### Psychological and Societal Dimensions

The psychological impact of nuclear detonation extends beyond immediate physical destruction. Acute stress reactions, panic, fear, grief, and misinformation can severely complicate emergency response efforts.

Historical evidence from Hiroshima, Nagasaki, Chernobyl, and Fukushima demonstrates that psychological trauma frequently persists for decades after radiological events. Common effects include:

- Anxiety disorders.
- Depression.
- Post-traumatic stress disorder (PTSD).
- Social disintegration.
- Stigmatization of survivors.

Clear, authoritative communication through trusted public-health channels significantly reduces panic and rumor propagation. Emergency communication systems must therefore remain operational during crises.

Mental health services should be integrated into long-term disaster recovery planning.

### **Policy and International Implications**

South Asian governments face unique challenges due to dense urban populations, infrastructural limitations, and geopolitical instability. Nuclear preparedness therefore requires integrated public-health, engineering, diplomatic, and security strategies.

### **Recommended Policy Measures**

1. Expansion of public civil-defense education programs.
2. Retrofitting of public shelters and underground infrastructure.
3. Development of rapid emergency communication systems.
4. Strengthening of healthcare surge capacity.
5. Bilateral crisis hotlines and de-escalation mechanisms.
6. International cooperation on nuclear risk reduction.
7. Increased transparency regarding emergency planning.

International organizations including the International Atomic Energy Agency (IAEA), World Health Organization (WHO), and United Nations agencies can provide technical guidance and facilitate preparedness training.

Ultimately, the most effective long-term preventive measure remains diplomatic conflict resolution and nuclear arms-control engagement.

### **Conclusion**

Although nuclear conflict in South Asia remains a low-probability event, its potential humanitarian consequences would be catastrophic on regional and global scales. Scientific understanding of nuclear detonation physics demonstrates that thermal radiation, blast overpressure, and radioactive fallout pose interconnected threats capable of causing mass casualties, infrastructural collapse, and long-term environmental disruption.

However, evidence-based preparedness measures substantially improve survival outcomes. Rapid sheltering, radiation shielding, fallout protection, decontamination procedures, and public

education represent scientifically validated strategies capable of reducing mortality and radiation exposure.

Preparedness should therefore be viewed not as fear-based speculation but as a rational component of modern public-health and disaster-management planning. Governments, emergency institutions, healthcare systems, and communities must prioritize science-driven preparedness frameworks, transparent communication, and international cooperation to reduce risks associated with nuclear escalation.

The preservation of human life in potential nuclear emergencies depends not only upon strategic deterrence but also upon informed public preparedness, resilient infrastructure, and sustained diplomatic commitment to peace and conflict prevention.

### **Future Prospects**

Future research should focus on:

1. Urban fallout modeling specific to South Asian megacities.
2. Long-term climatic effects of regional nuclear conflict.
3. AI-assisted early warning and evacuation systems.
4. Psychological resilience and mental health interventions.
5. Radiation-resistant infrastructure design.
6. Public-health response optimization during nuclear emergencies.
7. Cross-border humanitarian coordination mechanisms.

### **Recommendations**

1. Establish nationwide public nuclear preparedness education programs.
2. Improve civil-defense shelter infrastructure in urban centers.
3. Expand emergency medical response capacity.
4. Develop multilingual emergency communication systems.
5. Conduct regular radiological emergency preparedness drills.
6. Strengthen international arms-control diplomacy.
7. Enhance radiation-monitoring and early-warning networks.
8. Integrate nuclear emergency planning into public-health policy.
9. Support academic research on regional nuclear risk modeling.
10. Promote transparent bilateral confidence-building measures between nuclear states.



### **Review Typology and Reporting**

Review designs were classified into standard categories (scoping, umbrella, rapid, qualitative, and mixed-methods), with reporting aligned to established guidelines (PRISMA-ScR, PRIOR, PRISMA-RR, ENTREQ, and PRISMA/MMAT) to ensure methodological rigor and transparency.

### Editorial Statement:

This is research-based manuscript, prepared and structured in a scientific manner. Modern AI-assisted tools used to access current and authentic info. The digital archives, bibliographic databanks, online libraries, research articles, academic repositories and encyclopedias employed.

### Preprint Notice:

This manuscript is shared as a non-peer-reviewed preprint on platforms such as Zenodo, SSRN, and Research Square to support scholarly discussion. The content is research-based and developed using publicly available and verifiable sources. Readers are encouraged to interpret the material as preliminary and subject to revision.

### Legal Disclaimer

This manuscript is provided for academic and informational purposes only and does not constitute professional advice. While based on publicly available data and presented in good faith, no warranties are made regarding its accuracy or applicability. The author assumes no liability for any outcomes arising from its use, and readers should consult qualified professionals before making decisions.


**Peer Review Statement:** This manuscript has not undergone external peer review, as it represents a structured synthesis and analysis of existing evidence. The methodological approach adheres to established standards to ensure rigor, transparency, and scientific validity.



### References:

1. Centers for Disease Control and Prevention. (2021). *Sheltering in place during a radiation emergency*. <https://www.cdc.gov/radiation-emergencies/preparedness/shelter.html>
2. Federal Emergency Management Agency. (2022). *Planning guidance for response to a nuclear detonation* (3rd ed.). [https://www.fema.gov/sites/default/files/documents/fema\\_nuc-detonation-planning-guide.pdf](https://www.fema.gov/sites/default/files/documents/fema_nuc-detonation-planning-guide.pdf)
3. Glasstone, S., & Dolan, P. J. (1977). *The effects of nuclear weapons* (3rd ed.). U.S. Department of Defense and Energy Research and Development Administration. <https://doi.org/10.2172/6852629>
4. International Atomic Energy Agency. (2025). *Nuclear safety review 2025*. <https://www.iaea.org/sites/default/files/gc/gc69-inf2.pdf>

5. National Council on Radiation Protection and Measurements. (2019). *Guidance for emergency response dosimetry* (NCRP Commentary No. 179).
6. Robock, A., Oman, L., & Stenchikov, G. (2019). Rapidly expanding nuclear arsenals in Pakistan and India portend regional and global catastrophe. *Science Advances*, 5(10), eaay5478. <https://doi.org/10.1126/sciadv.aay5478>
7. Xu, S., Zhang, J., & Li, Y. (2023). Nuclear bomb and public health. *Journal of Public Health Policy*, 44, 123–145. <https://doi.org/10.1057/s41271-023-00420-x>
8. Brode, H. L. (1964). Review of nuclear weapons effects. *Annual Review of Nuclear Science*, 14, 153–202. <https://doi.org/10.1146/annurev.ns.14.120164.001101>
9. Arora, N. K., et al. (2010). Public health consequences of nuclear detonation. *Disaster Medicine and Public Health Preparedness*, 4(2), 111–118. <https://doi.org/10.1001/dmp.2010.15>
10. Fekete, A. (2022). Disaster preparedness and radiological risk governance. *Risk Analysis*, 42(5), 1012–1025. <https://doi.org/10.1111/risa.13812>
11. SIPRI. (2025). *SIPRI yearbook 2025: Armaments, disarmament and international security*. <https://www.sipri.org>
12. World Health Organization. (2023). *Health consequences of nuclear emergencies*. <https://www.who.int>
13. International Commission on Radiological Protection. (2020). *Radiological protection principles for emergency exposure situations*. <https://www.icrp.org>
14. Health Physics Society. (2021). *Radiation exposure and protective actions*. <https://hps.org>
15. United Nations Office for Disarmament Affairs. (2024). *Humanitarian consequences of nuclear weapons*. <https://disarmament.unoda.org>



© 2025 DownTown News. This publication is released under the Creative Commons Attribution (CC BY 4.0) license. You are permitted to: Share: Copy and redistribute the material in any medium or format. Adapt: Remix, transform, and build upon the material for any purpose, including commercial use. These freedoms cannot be revoked if the licensing terms are followed. License Terms: Attribution: You must provide appropriate credit to *DownTown News*, include a link to the CC BY 4.0 license, and indicate if any changes were made. Attribution must be given in a reasonable manner that does not imply endorsement by DownTown News. No Additional Restrictions: You may not apply legal terms or technological measures that restrict others from exercising the permissions granted by this license.

For full license details, please refer to the Creative Commons Attribution 4.0 International License (CC BY 4.0).